


MicroTherma 1, 2, 3 - ?????????? ?? ?????????????????



MicroTherma 1, 2, 3 MicroTherma digital microprocessor thermometer. FREE traceable certificate of calibration. automatic recalibration feature. MicroTherma 3 price excludes probe. Made In England ?????????? ??????.

?????????: ??? ?????????? ?????
????
???? ?? ?????? 229,32 €

???? ?????? 284,36 €

???? ?????? ?????? ??? 229,32 €

?????

????????? ?????? 55,04 €

[?????? ?? ?? ?????](#)

?????????

MicroTherma 1, 2, 3

Made In England

MicroTherma 3 digital microprocessor thermometer.
FREE traceable certificate of calibration.
automatic recalibration feature.

The MicroTherma 3 microprocessor thermometer measures temperature over the range of -200 to 1372 °C with a 0.1 °C resolution. Each thermometer incorporates an easy to read, 4½-digit dual LCD display with open circuit, low battery and hold indication.

The thermometer should never need re-calibrating as the microprocessor enables the instrument to automatically carry out self-diagnostic re-calibration.

Each MicroTherma 3 incorporates an auto-power off facility that maximises battery life, turning the instrument off automatically after thirty minutes..

????????????? ??????.

The MicroTherma 3 is priced without a probe. For details of the extensive range of thermocouple probes available [click here](#).

MicroTherma 3

- display: LCD digital
- case material: ABS plastic
- probe/sensor style: no probe included
- power source: battery powered
- country of manufacture: United Kingdom
- guarantee: two years
- certification: traceable calibration certificate
- power saving: auto-off
- max/min function: yes
- measurement scale: Celsius
- display hold: yes
- battery monitor: yes

MicroTherma 2

display: LCD digital

- case material: ABS plastic
- probe/sensor style: no probe included
- power source: battery powered
- country of manufacture: United Kingdom
- guarantee: two years
- certification: traceable calibration certificate
- power saving: auto-off
- max/min function: yes
- measurement scale: Celsius/Fahrenheit
- display hold: yes
- battery monitor: yes

MicroTherma 1

- range: -270 to 1768°C
- resolution: 0.1 °C/°F
- accuracy: $\pm 0.2^{\circ}\text{C} \pm 1$ digit (instrument only)
- battery: 2 x 1.5 volt AAA
- battery life: 1000 hours
- sensor type: thermocouple type K, J, T, R, N, S & E - selectable
- display: LCD digital
- dimensions: 35 x 73 x 141mm
- weight: 220 grams
- case material: ABS plastic
- probe/sensor style: no probe included
- power source: battery powered
- country of manufacture: United Kingdom
- guarantee: two years

- certification: traceable calibration certificate
- power saving: auto-off
- max/min function: yes
- measurement scale: Celsius/Fahrenheit
- display hold: yes
- battery monitor: yes