

Pocket balance TGD



Pocket balance TGD (Max 50 g / d=0,001 g). ?????? ?????????? ?????????? ??? ?????????? ??????. Compact pocket carat balance for precision weighing of jewellery and precious stones. ?????????? ?????????? [Max]: 50 g ?????????????????? [d]: 1 mg (0.001 g)

?????????????: ??? ?????????????? ??????
?????
????? ?? ????????? 68,00 €

????? ????????? 84,32 €

????? ????????? ?????? ????? 68,00 €

?????????

????????? ?????? 16,32 €

[????????? ??? ?? ???????](#)

???????????

Pocket balance TGD
Compact pocket carat balance for precision weighing of jewellery and precious stones.

??????? ??????????? ??????????? ??? ??????????? ??????

????????????? ?????????? [Max]: 50 g
????????????????????? [d]: 1 mg (0.001 g)

- Simple and convenient 4-key operation
- Can be switched over from g to ct, gn, dwt, ozt, oz at the touch of a key
- Innovative touchscreen: touch-sensitive, backlit screen with very good contrast for easy operation and convenient reading

Hard case cover as protection against pressure and dust
Weighing plate stainless steel, hygienic and easy to clean
weighing pan standard
The power supply is through the USB cable, which means that no additional power supply is required.
Delivery in attractive jewellery packaging

Construction

Casing material: Plastic

Dimensions housing (W×D×H): 96 mm x 149 mm x 36 mm

Level indicator: yes

Material weighing plate:stainless steel

Revolving screw feet: yes

Weighing surface (d): 65 mm

Service

Adjustment at the location of installation:961-247

DAkkS Certificate: 963-127

Display

Display digit height (large): 20 mm

Power supply

Battery: 4×1.5 V AAA

Operating time: 150 h

Category

Brand: KERN

Product Group:Pocket balance

Measuring system

Adjustment options:External calibration

Linearity:3 mg

Readability [d]:1 mg

Recommended adjusting weight:50 g (F2)

Repeatability:3 mg

Resolution:50000

Stabilisation time under laboratory conditions:3 s

Tare range:50 g

Warm up time:2 h

Weighing capacity [Max]:50 g

Weighing system:Strain gauge

Weighing units: ozt g dwt ct oz gn

Environmental conditions

Maximum humidity:80 %

Maximum operating temperature: 35 °C

Minimum ambient temperature: 5 °C

Minimum humidity: 15 %

Packaging & shipping

Delivery: 24 h

Gross weight: 2,215 kg

Net weight: 980 g

[???????????](#)